

Table ENG-4. - Building Site Development

Greensville County, Virginia

The information in this table indicates the dominant soil condition, but does not eliminate the need for onsite investigation. The numbers in the value column range from 0.01 to 1.00. The larger the value, the greater the potential limitation. Limiting features in this report are limited to the top 5 limitations. Additional limitations may exist.

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 1B: | | | | | | | |
| Abell | 80 | Very limited | | Somewhat limited | | Not limited | |
| | | Low strength | 1.00 | Depth to saturated zone | 0.99 | | |
| | | Shrink-swell | 0.50 | Cutbanks cave | 0.10 | | |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| Fluvanna | | Not Rated | | Not Rated | | Not Rated | |
| Goldston | | Not Rated | | Not Rated | | Not Rated | |
| 2A: | | | | | | | |
| Altavista | 80 | Somewhat limited | | Very limited | | Somewhat limited | |
| | | Low strength | 0.22 | Depth to saturated zone | 1.00 | Depth to saturated zone | 0.19 |
| | | Depth to saturated zone | 0.19 | Cutbanks cave | 0.10 | | |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| State | | Not Rated | | Not Rated | | Not Rated | |
| 3A: | | | | | | | |
| Altavista | 80 | Very limited | | Very limited | | Very limited | |
| | | Flooding | 1.00 | Depth to saturated zone | 1.00 | Flooding | 1.00 |
| | | Low strength | 0.22 | | | Depth to saturated zone | 0.19 |
| | | Depth to saturated zone | 0.19 | Flooding | 0.80 | | |
| | | | | Cutbanks cave | 0.10 | | |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| Tarboro | | Not Rated | | Not Rated | | Not Rated | |
| Wickham | | Not Rated | | Not Rated | | Not Rated | |
| 4B3: | | | | | | | |
| Appling | 80 | Very limited | | Somewhat limited | | Not limited | |
| | | Low strength | 1.00 | Too clayey | 0.28 | | |
| | | | | Cutbanks cave | 0.10 | | |
| Louisburg | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| Rock Outcrop | | Not Rated | | Not Rated | | Not Rated | |

4C3:

Table ENG-4. - Building Site Development - Continued

Greensville County, Virginia

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|---------------------------------------|--------------|---|----------------------|--|----------------------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 4C3: | | | | | | | |
| Appling | 80 | Very limited Low strength Slope | 1.00 0.37 | Somewhat limited Slope Too clayey Cutbanks cave | 0.37 0.28 0.10 | Somewhat limited Slope | 0.37 |
| Louisburg | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| Rock Outcrop | | Not Rated | | Not Rated | | Not Rated | |
| 5B: | | | | | | | |
| Appling | 80 | Very limited Low strength | 1.00 | Somewhat limited Too clayey Cutbanks cave | 0.28 0.10 | Somewhat limited Gravel content | 0.01 |
| Louisburg | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| Rock Outcrop | | Not Rated | | Not Rated | | Not Rated | |
| 6B: | | | | | | | |
| Appling | 45 | Very limited Low strength | 1.00 | Somewhat limited Too clayey Cutbanks cave | 0.28 0.10 | Somewhat limited Gravel content | 0.01 |
| Louisburg | 40 | Not limited | | Very limited Cutbanks cave Depth to hard bedrock | 1.00 1.00 | Somewhat limited Gravel content Content of large stones Droughty | 0.17 0.03 0.01 |
| Helena | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| Rock outcrop | | Not Rated | | Not Rated | | Not Rated | |
| 6C: | | | | | | | |
| Appling | 45 | Very limited Low strength Slope | 1.00 0.37 | Somewhat limited Slope Too clayey Cutbanks cave | 0.37 0.28 0.10 | Somewhat limited Slope Gravel content | 0.37 0.01 |
| Louisburg | 40 | Somewhat limited Slope | 0.37 | Very limited Cutbanks cave Depth to hard bedrock Slope | 1.00 1.00 0.37 | Somewhat limited Slope Gravel content Content of large stones | 0.37 0.17 0.03 |

Table ENG-4. - Building Site Development - Continued

Greensville County, Virginia

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|--|----------------------|---|----------------------|---|--------------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 6C: | | | | | | | |
| Helena | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| 7B: | | | | | | | |
| Appling | 45 | Very limited Low strength | 1.00 | Somewhat limited Too clayey Cutbanks cave | 0.28 0.10 | Somewhat limited Gravel content | 0.01 |
| Mattaponi | 35 | Very limited Low strength Shrink-swell Depth to saturated zone | 1.00 0.50 0.03 | Very limited Depth to saturated zone Too clayey Cutbanks cave | 1.00 0.50 0.10 | Somewhat limited Depth to saturated zone | 0.03 |
| Abell | | Not Rated | | Not Rated | | Not Rated | |
| Louisburg | | Not Rated | | Not Rated | | Not Rated | |
| 7C: | | | | | | | |
| Appling | 45 | Very limited Low strength Slope | 1.00 0.37 | Somewhat limited Slope Too clayey Cutbanks cave | 0.37 0.28 0.10 | Somewhat limited Slope Gravel content | 0.37 0.01 |
| Mattaponi | 35 | Very limited Low strength Shrink-swell Slope | 1.00 0.50 0.37 | Very limited Depth to saturated zone Too clayey Slope | 1.00 0.50 0.37 | Somewhat limited Slope Depth to saturated zone | 0.37 0.03 |
| Abell | | Not Rated | | Not Rated | | Not Rated | |
| Louisburg | | Not Rated | | Not Rated | | Not Rated | |
| 8A: | | | | | | | |
| Bojac | 80 | Very limited Flooding | 1.00 | Very limited Cutbanks cave Flooding Depth to saturated zone | 1.00 0.80 0.15 | Very limited Flooding | 1.00 |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| Tarboro | | Not Rated | | Not Rated | | Not Rated | |
| Wickham | | Not Rated | | Not Rated | | Not Rated | |

9A:

Table ENG-4. - Building Site Development - Continued

Greensville County, Virginia

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 9A: | | | | | | | |
| Chenneby | 80 | Very limited | | Very limited | | Very limited | |
| | | Flooding | 1.00 | Depth to saturated | 1.00 | Flooding | 1.00 |
| | | Depth to saturated zone | 0.48 | zone | | Depth to saturated | 0.48 |
| | | Low strength | 0.22 | Flooding | 0.80 | zone | |
| | | Cutbanks cave | 0.10 | | | | |
| Roanoke | 5 | Not Rated | | Not Rated | | Not Rated | |
| Riverview | | Not Rated | | Not Rated | | Not Rated | |
| Tarboro | | Not Rated | | Not Rated | | Not Rated | |
| 10B3: | | | | | | | |
| Craven | 80 | Very limited | | Very limited | | Not limited | |
| | | Low strength | 1.00 | Depth to saturated | 1.00 | | |
| | | Shrink-swell | 0.50 | zone | | | |
| | | | | Too clayey | 0.28 | | |
| | | | | Cutbanks cave | 0.10 | | |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| Appling | | Not Rated | | Not Rated | | Not Rated | |
| Uchee | | Not Rated | | Not Rated | | Not Rated | |
| 10C3: | | | | | | | |
| Craven | 80 | Very limited | | Very limited | | Somewhat limited | |
| | | Low strength | 1.00 | Depth to saturated | 1.00 | Slope | 0.04 |
| | | Shrink-swell | 0.50 | zone | | | |
| | | Slope | 0.04 | Too clayey | 0.28 | | |
| | | | | Cutbanks cave | 0.10 | | |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| Appling | | Not Rated | | Not Rated | | Not Rated | |
| Uchee | | Not Rated | | Not Rated | | Not Rated | |
| 11A: | | | | | | | |
| Dothan | 80 | Not limited | | Somewhat limited | | Not limited | |
| | | | | Depth to saturated | 0.61 | | |
| | | | | zone | | | |
| | | | | Cutbanks cave | 0.10 | | |
| Craven | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| Orangeburg | | Not Rated | | Not Rated | | Not Rated | |

12B:

Table ENG-4. - Building Site Development - Continued

Greensville County, Virginia

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|---------------------------------------|-------|--|-------|---------------------------------------|-------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 12B: | | | | | | | |
| Emporia | 80 | Not limited | | Somewhat limited Depth to saturated zone | | Not limited 0.73 | |
| | | | | Cutbanks cave | | 0.10 | |
| Craven | | Not Rated | | Not Rated | | Not Rated | |
| Uchee | | Not Rated | | Not Rated | | Not Rated | |
| 13A: | | | | | | | |
| Faceville | 80 | Not limited | | Somewhat limited Too clayey | | Not limited 0.13 | |
| | | | | Cutbanks cave | | 0.10 | |
| Dothan | | Not Rated | | Not Rated | | Not Rated | |
| Uchee | | Not Rated | | Not Rated | | Not Rated | |
| 14B: | | | | | | | |
| Fluvanna | 80 | Very limited | | Somewhat limited | | Not limited | |
| | | Low strength | | Too clayey | | 0.50 | |
| | | Shrink-swell | | Cutbanks cave | | 0.10 | |
| Goldston | | Not Rated | | Not Rated | | Not Rated | |
| Iredell | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| Rock Outcrop | | Not Rated | | Not Rated | | Not Rated | |
| 15B3: | | | | | | | |
| Fluvanna | 80 | Very limited | | Somewhat limited | | Not limited | |
| | | Low strength | | Too clayey | | 0.50 | |
| | | Shrink-swell | | Cutbanks cave | | 0.10 | |
| Goldston | | Not Rated | | Not Rated | | Not Rated | |
| Iredell | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| 15C3: | | | | | | | |
| Fluvanna | 80 | Very limited | | Somewhat limited | | Somewhat limited | |
| | | Low strength | | Too clayey | | Slope | |
| | | Shrink-swell | | Slope | | 0.37 | |
| | | Slope | | Cutbanks cave | | 0.10 | |
| Goldston | | Not Rated | | Not Rated | | Not Rated | |

Table ENG-4. - Building Site Development - Continued

Greensville County, Virginia

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 15C3: | | | | | | | |
| Iredell | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| 16B3: | | | | | | | |
| Fluvanna | 45 | Very limited | | Somewhat limited | | Not limited | |
| | | Low strength | 1.00 | Too clayey | 0.50 | | |
| | | Shrink-swell | 0.50 | Cutbanks cave | 0.10 | | |
| Goldston | 30 | Somewhat limited | | Very limited | | Very limited | |
| | | Depth to soft bedrock | 1.00 | Depth to hard bedrock | 1.00 | Depth to bedrock | 1.00 |
| | | Depth to hard bedrock | 0.79 | Depth to soft bedrock | 1.00 | Droughty | 1.00 |
| | | | | Cutbanks cave | 0.10 | Content of large stones | 0.32 |
| Iredell | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| 16C3: | | | | | | | |
| Fluvanna | 45 | Very limited | | Somewhat limited | | Somewhat limited | |
| | | Low strength | 1.00 | Too clayey | 0.50 | Slope | 0.37 |
| | | Shrink-swell | 0.50 | Slope | 0.37 | | |
| | | Slope | 0.37 | Cutbanks cave | 0.10 | | |
| Goldston | 30 | Somewhat limited | | Very limited | | Very limited | |
| | | Depth to soft bedrock | 1.00 | Depth to hard bedrock | 1.00 | Depth to bedrock | 1.00 |
| | | Depth to hard bedrock | 0.79 | Depth to soft bedrock | 1.00 | Droughty | 1.00 |
| | | Slope | 0.37 | Slope | 0.37 | Slope | 0.37 |
| Iredell | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| 17B: | | | | | | | |
| Fluvanna | 45 | Very limited | | Somewhat limited | | Not limited | |
| | | Low strength | 1.00 | Too clayey | 0.50 | | |
| | | Shrink-swell | 0.50 | Cutbanks cave | 0.10 | | |
| Mattaponi | 35 | Very limited | | Very limited | | Somewhat limited | |
| | | Low strength | 1.00 | Depth to saturated zone | 1.00 | Depth to saturated zone | 0.03 |
| | | Shrink-swell | 0.50 | Too clayey | 0.50 | | |
| | | Depth to saturated zone | 0.03 | Cutbanks cave | 0.10 | | |
| Goldston | | Not Rated | | Not Rated | | Not Rated | |
| Iredell | | Not Rated | | Not Rated | | Not Rated | |
| Rock Outcrop | | Not Rated | | Not Rated | | Not Rated | |

Table ENG-4. - Building Site Development - Continued

Greensville County, Virginia

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 17C: | | | | | | | |
| Fluvanna | 45 | Very limited | | Somewhat limited | | Somewhat limited | |
| | | Low strength | 1.00 | Too clayey | 0.50 | Slope | 0.37 |
| | | Shrink-swell | 0.50 | Slope | 0.37 | | |
| | | Slope | 0.37 | Cutbanks cave | 0.10 | | |
| Mattaponi | 35 | Very limited | | Very limited | | Somewhat limited | |
| | | Low strength | 1.00 | Depth to saturated zone | 1.00 | Slope | 0.37 |
| | | Shrink-swell | 0.50 | Too clayey | 0.50 | Depth to saturated zone | 0.03 |
| | | Slope | 0.37 | Slope | 0.37 | | |
| Goldston | | Not Rated | | Not Rated | | Not Rated | |
| Iredell | | Not Rated | | Not Rated | | Not Rated | |
| 18B: | | | | | | | |
| Georgeville | 80 | Very limited | | Somewhat limited | | Not limited | |
| | | Low strength | 1.00 | Too clayey | 0.50 | | |
| | | | | Cutbanks cave | 0.10 | | |
| Goldston | | Not Rated | | Not Rated | | Not Rated | |
| Iredell | | Not Rated | | Not Rated | | Not Rated | |
| 19B3: | | | | | | | |
| Georgeville | 80 | Very limited | | Somewhat limited | | Not limited | |
| | | Low strength | 1.00 | Too clayey | 0.50 | | |
| | | | | Cutbanks cave | 0.10 | | |
| Goldston | | Not Rated | | Not Rated | | Not Rated | |
| Iredell | | Not Rated | | Not Rated | | Not Rated | |
| 19C3: | | | | | | | |
| Georgeville | 80 | Very limited | | Somewhat limited | | Somewhat limited | |
| | | Low strength | 1.00 | Too clayey | 0.50 | Slope | 0.37 |
| | | Slope | 0.37 | Slope | 0.37 | | |
| | | | | Cutbanks cave | 0.10 | | |
| Goldston | | Not Rated | | Not Rated | | Not Rated | |
| Iredell | | Not Rated | | Not Rated | | Not Rated | |
| 20B: | | | | | | | |
| Helena | 80 | Very limited | | Very limited | | Somewhat limited | |
| | | Low strength | 1.00 | Depth to saturated zone | 1.00 | Gravel content | 0.41 |
| | | Shrink-swell | 1.00 | Too clayey | 0.28 | Depth to saturated zone | 0.19 |
| | | Depth to saturated zone | 0.19 | Cutbanks cave | 0.10 | | |
| | | | | | | | |

Table ENG-4. - Building Site Development - Continued

Greensville County, Virginia

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|--|----------------------|---|----------------------|---|----------------------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 20B: | | | | | | | |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| Appling | | Not Rated | | Not Rated | | Not Rated | |
| Louisburg | | Not Rated | | Not Rated | | Not Rated | |
| 21B: | | | | | | | |
| Iredell | 80 | Very limited Shrink-swell Low strength Depth to saturated zone | 1.00 1.00 0.75 | Very limited Depth to saturated zone Too clayey Cutbanks cave | 1.00 0.50 0.10 | Somewhat limited Depth to saturated zone | 0.75 |
| Roanoke | 5 | Not Rated | | Not Rated | | Not Rated | |
| Fluvanna | | Not Rated | | Not Rated | | Not Rated | |
| Goldston | | Not Rated | | Not Rated | | Not Rated | |
| 22C3: | | | | | | | |
| Iredell | 80 | Very limited Shrink-swell Low strength Depth to saturated zone | 1.00 1.00 0.75 | Very limited Depth to saturated zone Too clayey Slope | 1.00 0.50 0.37 | Somewhat limited Depth to saturated zone Slope | 0.75 0.37 |
| Roanoke | 5 | Not Rated | | Not Rated | | Not Rated | |
| Fluvanna | | Not Rated | | Not Rated | | Not Rated | |
| Goldston | | Not Rated | | Not Rated | | Not Rated | |
| 23D: | | | | | | | |
| Louisburg | 50 | Somewhat limited Slope | 0.96 | Very limited Cutbanks cave Slope | 1.00 0.96 | Somewhat limited Slope Gravel content Content of large stones | 0.96 0.17 0.03 |
| Rock Outcrop | 30 | Not Rated | | Not Rated | | Not Rated | |
| Appling | | Not Rated | | Not Rated | | Not Rated | |
| Helena | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |

25B:

Table ENG-4. - Building Site Development - Continued

Greensville County, Virginia

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 25B: | | | | | | | |
| Mattaponi | 80 | Very limited | | Very limited | | Somewhat limited | |
| | | Low strength | 1.00 | Depth to saturated | 1.00 | Depth to saturated | 0.03 |
| | | Shrink-swell | 0.50 | zone | | zone | |
| | | Depth to saturated | 0.03 | Too clayey | 0.50 | | |
| | | zone | | Cutbanks cave | 0.10 | | |
| Woodington | 3 | Not Rated | | Not Rated | | Not Rated | |
| Appling | | Not Rated | | Not Rated | | Not Rated | |
| Uchee | | Not Rated | | Not Rated | | Not Rated | |
| 25C: | | | | | | | |
| Mattaponi | 80 | Very limited | | Very limited | | Somewhat limited | |
| | | Low strength | 1.00 | Cutbanks cave | 1.00 | Slope | 0.37 |
| | | Shrink-swell | 0.50 | Depth to saturated | 1.00 | Droughty | 0.26 |
| | | Slope | 0.37 | zone | | Depth to saturated | 0.03 |
| | | | | Too clayey | 0.50 | zone | |
| Appling | | Not Rated | | Not Rated | | Not Rated | |
| Uchee | | Not Rated | | Not Rated | | Not Rated | |
| 26A: | | | | | | | |
| Orangeburg | 80 | Very limited | | Somewhat limited | | Not limited | |
| | | Low strength | 1.00 | Cutbanks cave | 0.10 | | |
| Dothan | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| Uchee | | Not Rated | | Not Rated | | Not Rated | |
| 27A: | | | | | | | |
| Peawick | 80 | Very limited | | Very limited | | Somewhat limited | |
| | | Low strength | 1.00 | Depth to saturated | 1.00 | Depth to saturated | 0.03 |
| | | Shrink-swell | 1.00 | zone | | zone | |
| | | Depth to saturated | 0.03 | Too clayey | 0.28 | | |
| | | zone | | Cutbanks cave | 0.10 | | |
| Roanoke | 5 | Not Rated | | Not Rated | | Not Rated | |
| State | | Not Rated | | Not Rated | | Not Rated | |
| 28B3: | | | | | | | |
| Peawick | 80 | Very limited | | Very limited | | Somewhat limited | |
| | | Low strength | 1.00 | Depth to saturated | 1.00 | Depth to saturated | 0.03 |
| | | Shrink-swell | 1.00 | zone | | zone | |
| | | Depth to saturated | 0.03 | Too clayey | 0.28 | | |
| | | zone | | Cutbanks cave | 0.10 | | |

Table ENG-4. - Building Site Development - Continued

Greensville County, Virginia

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|---------------------------------------|-------|---------------------------------------|-------|---------------------------------------|-------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 28B3: | | | | | | | |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| State | | Not Rated | | Not Rated | | Not Rated | |
| 28C3: | | | | | | | |
| Peawick | 80 | Very limited | | Very limited | | Somewhat limited | |
| | | Low strength | 1.00 | Depth to saturated | 1.00 | Slope | 0.04 |
| | | Shrink-swell | 1.00 | zone | | Depth to saturated | 0.03 |
| | | Slope | 0.04 | Too clayey | 0.28 | zone | |
| | | | | Cutbanks cave | 0.10 | | |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| State | | Not Rated | | Not Rated | | Not Rated | |
| 29: | | | | | | | |
| Pits, quarry | 100 | Not Rated | | Not Rated | | Not Rated | |
| 30A: | | | | | | | |
| Riverview | 80 | Very limited | | Somewhat limited | | Very limited | |
| | | Flooding | 1.00 | Flooding | 0.80 | Flooding | 1.00 |
| | | Low strength | 0.22 | Depth to saturated | 0.61 | | |
| | | | | zone | | | |
| | | | | Cutbanks cave | 0.10 | | |
| Roanoke | 5 | Not Rated | | Not Rated | | Not Rated | |
| Tarboro | | Not Rated | | Not Rated | | Not Rated | |
| 31A: | | | | | | | |
| Roanoke | 80 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated | 1.00 | Depth to saturated | 1.00 | Flooding | 1.00 |
| | | zone | | zone | | Depth to saturated | 1.00 |
| | | Flooding | 1.00 | Flooding | 0.80 | zone | |
| | | Low strength | 1.00 | Too clayey | 0.28 | | |
| Altavista | | Not Rated | | Not Rated | | Not Rated | |
| Appling | | Not Rated | | Not Rated | | Not Rated | |
| State | | Not Rated | | Not Rated | | Not Rated | |
| 32A: | | | | | | | |
| Roanoke | 80 | Very limited | | Very limited | | Very limited | |
| | | Depth to saturated | 1.00 | Depth to saturated | 1.00 | Flooding | 1.00 |
| | | zone | | zone | | Depth to saturated | 1.00 |
| | | Flooding | 1.00 | Ponding | 1.00 | zone | |
| | | Low strength | 1.00 | Flooding | 0.80 | Ponding | 1.00 |
| Chenneby | 3 | Not Rated | | Not Rated | | Not Rated | |

Table ENG-4. - Building Site Development - Continued

Greensville County, Virginia

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|--|--------------|---|--------------|--|--------------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 32A: | | | | | | | |
| Altavista | | Not Rated | | Not Rated | | Not Rated | |
| 33A: | | | | | | | |
| Slagle | 80 | Somewhat limited Shrink-swell Depth to saturated zone | 0.50 0.03 | Very limited Depth to saturated zone Cutbanks cave | 1.00 0.10 | Somewhat limited Depth to saturated zone | 0.03 |
| Woodington | 3 | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| Uchee | | Not Rated | | Not Rated | | Not Rated | |
| 34A: | | | | | | | |
| State | 80 | Somewhat limited Low strength | 0.22 | Very limited Cutbanks cave Depth to saturated zone | 1.00 0.15 | Not limited | |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| Altavista | | Not Rated | | Not Rated | | Not Rated | |
| 35A: | | | | | | | |
| Tarboro | 80 | Very limited Flooding | 1.00 | Very limited Cutbanks cave Flooding | 1.00 0.80 | Very limited Flooding Droughty | 1.00 0.84 |
| Wet Spots | 3 | Not Rated | | Not Rated | | Not Rated | |
| Altavista | | Not Rated | | Not Rated | | Not Rated | |
| Riverview | | Not Rated | | Not Rated | | Not Rated | |
| Wickham | | Not Rated | | Not Rated | | Not Rated | |
| 36B: | | | | | | | |
| Uchee | 80 | Not limited | | Very limited Cutbanks cave Depth to saturated zone | 1.00 0.47 | Somewhat limited Droughty | 0.15 |
| Craven | | Not Rated | | Not Rated | | Not Rated | |
| Emporia | | Not Rated | | Not Rated | | Not Rated | |
| Slagle | | Not Rated | | Not Rated | | Not Rated | |
| 37: | | | | | | | |
| Udorthents | 80 | Not Rated | | Not Rated | | Not Rated | |

Table ENG-4. - Building Site Development - Continued

Greensville County, Virginia

| Map Symbol and Soil Name | Pct of Map Unit | Local Roads and Streets | | Shallow Excavations | | Lawns and Landscaping | |
|-----------------------------|--------------------------|--|-------|---|--------------|--|-------|
| | | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value | Rating Class and Limiting Features | Value |
| 37: | | | | | | | |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| Iredell | | Not Rated | | Not Rated | | Not Rated | |
| Louisburg | | Not Rated | | Not Rated | | Not Rated | |
| Mattaponi | | Not Rated | | Not Rated | | Not Rated | |
| Rock Outcrop | | Not Rated | | Not Rated | | Not Rated | |
| Tarboro | | Not Rated | | Not Rated | | Not Rated | |
| 38A: | | | | | | | |
| Wickham | 80 | Somewhat limited Low strength | 0.22 | Somewhat limited Cutbanks cave | 0.10 | Not limited | |
| Roanoke | 3 | Not Rated | | Not Rated | | Not Rated | |
| Altavista | | Not Rated | | Not Rated | | Not Rated | |
| 39A: | | | | | | | |
| Wickham | 80 | Very limited Flooding | 1.00 | Very limited Cutbanks cave Flooding | 1.00 0.80 | Very limited Flooding | 1.00 |
| Chenneby | 3 | Not Rated | | Not Rated | | Not Rated | |
| Altavista | | Not Rated | | Not Rated | | Not Rated | |
| Tarboro | | Not Rated | | Not Rated | | Not Rated | |
| 40A: | | | | | | | |
| Woodington | 80 | Very limited Depth to saturated zone | 1.00 | Very limited Depth to saturated zone Cutbanks cave | 1.00 0.10 | Very limited Depth to saturated zone | 1.00 |
| Craven | | Not Rated | | Not Rated | | Not Rated | |
| Slagle | | Not Rated | | Not Rated | | Not Rated | |
| W: | | | | | | | |
| Water | 100 | Not Rated | | Not Rated | | Not Rated | |